



SHRI KARVIR NIVASSINI MAHALAXMI ISPAT PVT. LTD.

Manufacturer of TMT BARRS

A-6, MIDC, Gokul Shirgaon, KOLHAPUR - 416 234.

Tel.: 0231-2672421 / 2672709 / 2672710. Fax : 0231 - 2672082

email : tmt@mhlaxmi.com www.mhlaxmi.com CIN : U27104PN1993PTC 073651

IS - 1786



CM / L 7652078

MAHALAXMI

MAHALAXMI

M/ 102/22-23

Date : 22.12.2022

To,

The Regional Officer,
MoEFCC; Regional Officer (WCZ)
Ground Floor, East Wing,
New Secretariat Building,
Civil Lines, Nagpur- 440 001

Sub. : Submission of Six Monthly Environment Compliance report for period of **April 2022 to September 2022** w.r.t. Expansion of the Steel plant - "**M/s. Shri Karvir Nivasini Mahalaxmi Ispat Pvt Ltd**", located at Plot No. A/6 MIDC Gokul Shirgaon, Taluka: Karvir, District: Kolhapur, Maharashtra State

Ref. : Environmental Clearance granted by Government of Maharashtra No.SEAC-2010/CR-463/TC-2. Dated 07.02.2011 (**EC Letter is attached at - Enclosure I**)

Respected Sir,

This has reference to the Environmental Clearance granted by Government of Maharashtra No.SEAC-2010/cr-463/TC-2 dated 07.02.2011 The same was in respect of Expansion of the Steel plant by "**M/s. Shri Karvir Nivasini Mahalaxmi Ispat Pvt Ltd**", located at Plot No. A/6 MIDC Gokul Shirgaon, Taluka: Karveer, District: Kolhapur, Maharashtra State

As per condition **No.XXXI** in Environmental Clearance (EC) letter, we are submitting six monthly compliance report for period of **April 2022 to September 2022**

We hope the details furnished by us are in accordance with your requirements.

Thanking you.

For SHRI KARVIR NIVASINI
MAHALAXMI ISPAT PVT. LTD.,

DIRECTOR.

Copy to : MPCB Regional office.

Enclosure - I

EC Letter

Government of Maharashtra

No. SEAC -2010/CR-463/TC-2

Environment department
Room No. 217, 2nd floor,
Mantralaya Annexe,
Mumbai- 400 032.
Dated: 7th February, 2011

To,
M/s. Shri Karvir Nivasini Mahalaxmi Ispat Pvt Ltd.
A-6 MIDC, Gokul Shirgaon,
Kolhapur 416234
Maharashtra

Sub: Expansion of the steel plant at Shirgaon, Taluka Karveer, District Kolhapur by M/s. Shri Karvir Nivasini Mahalaxmi Ispat Pvt Ltd. - Environmental clearance regarding.

Sir,

This has reference to your communication dated 8th January, 2010 on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee, Maharashtra in its 29th meeting and decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 31st meeting held on 26th November, 2010. Authority noted your clarification dated 17th January, 2011 that the production unit is non toxic secondary metallurgical processing industry.

2. It is noted that the proposal is for grant of Environmental Clearance for Expansion of the steel plant at Shirgaon, Taluka Karveer, District Kolhapur by M/s. Shri Karvir Nivasini Mahalaxmi Ispat Pvt Ltd. The project considered by SEAC under EIA Notification 2006, screening category is 3 (a). Project proponent has submitted Environment Management Plan.

Project information from submitted & considered documents is summarized as below-

| | |
|-------------------------------|--|
| Name of the Project | : Expansion of the steel plant |
| Type of Project | : Industrial project |
| Project Proponent | : M/s. Shri Karvir Nivasini Mahalaxmi Ispat Pvt Ltd. |
| Location of the project | : Plot No.: A-6, Gokul Shirgaon MIDC, Tal.: Karveer, Dist.: Kolhapur - 416 234 • Latitude 16° 42' N • Longitude 74° 16' E |
| Total plot area | : 19,970 Sq. M. |
| Project area | : 5,635.78 sq.m. |
| Estimated cost of the project | : ₹ 7.62 Crores |

Production capacity:

Existing:

1. MS casting: 1100 MT / Month
2. MS Roll bar: 2500 MT/ Month



Proposed Expansion:

1. M.S. Castings (ingots) -1400 Mt / Month
2. M.S. Rolled bars -1500 Mt /Month

Water Requirement: 7 M³ / Day; Source: MIDC

Rain water harvesting:

- Land and Roof top harvesting method adopted.
- Ground Water Authority shall be consulted for finalization of appropriate rainwater harvesting technology.

Domestic Effluent: 1.5 M³ / Day; Domestic Effluent generated would be treated in the septic tank followed by soak pit & the same would be further utilized for gardening in own factory premises.

Industrial Effluent: Nil.

Raw material:

| List of raw materials to be used | Physical & Chemical nature of raw material | Quantity (tonnes / month) full production capacity | Source of materials | Means of Transportation (Source to storage site) with justification |
|----------------------------------|--|--|--|---|
| Turning | Solid | 154 MT / M | Near by area / outside supplier Through Trucks | Stored on Yard proper handling system |
| C.I. | Solid | 154 MT / M | | |
| Sponge Iron | Solid | 616 MT / M | | |
| M.S. Scrap | Solid | 616 MT / M | From own plant & outside, suppliers | |
| M.S. Ingots | Solid | 1575 MT / M | | |

Solid Waste Management:

| Waste | Source Qty (TPM) |
|---------------------------|------------------|
| Process Dust (Burnt Slag) | 40 MT/ Day |
| Other (Coal Ash) | 2 MT / Day |
| Tar | 1.55 MT / Day |

Disposal:

1. From existing activities, solid waste is generated in the form of iron oxide @ 10 MT / M and same is sold to authorized reprocessor
2. Hazardous Waste generated under Cat. No.: 5.1 i.e. Used Oil @ 0.5 MT / Year would be generated and same would be sold to authorized reprocessor
3. Burnt Slag generated would be taken away for secondary use such as filling of low lying areas. Coal Ash generated would be disposed off by sale to the brick manufactures as well as Tar generated would be Secondary Sale as Fuel Additive

Air pollution control:

- The existing Oil Fired Furnace for Rolling Bars & Electrical Induction Furnace for M. S. Ingots would be used.
- The Electric Induction Furnace is provided with Fume Extraction System as APC followed by a Dust Collector and stack height of 15.0 M.



- Coal/Oil Fired Furnace has been provided with stack height of 31.0 M.

Stack Details:

| Plant section & units | Stack No. | Height from ground level (m) | Internal Diameter (Top)(m) | Temp. of Exhaust Gases |
|----------------------------|-----------|------------------------------|----------------------------|------------------------|
| Oil Fired Furnaces | 1st | 31 M | 0.6 M | 319.3°C |
| Electric Induction Furnace | 2nd | 15 M | 0.4 M | 378.3°C |

Green belt development plan: 2650.00 Sq. M.; Existing Nos. of Trees: 600 Nos. + 1300 M2 Lawn; About 200 Nos. of trees will be planted.

Power Requirement: 6700 KVA; Source: MSEB.

Noise pollution control:

- In the existing as well as proposed capacity utilization activities the source of noise would be the Roughing Mill Section, Bar Cutting Section, Melting Bay and Pouring Section & Moulding Section.
- The workers entering the work zone area of Roughing Mill Section, Bar Cutting Section, Melting Bay, Pouring Section & Moulding Section is provided with ear muffs & other Personal Protective Equipment (PPE) which gives the reduction within the limit.

Socio Economic Environment:

- The Steel Plant unit undertakes a number of activities related with social welfare such as Distribution of Education Materials among economically deprived students. Also, the unit donates various equipments and machineries to the 'Chetana Institute, Kolhapur', a school for mentally retired children.
- Providing ambulance facility in emergency cases to Nearby Residents.
- The industry has established "Shri Babeshwar Seva Dham" OPD (Out Patient Department) in Gokul Shirgaon MIDC area, which provides free treatment for industrial worker and people located in that area.
- The Industry arranges Blood Donation Camps every year.
- The Industry is providing direct or indirect employment opportunities to local people.
- Donating funds for noble causes such as Earthquake and Flood Relief operations.

Environmental Management Plan: Operation Phase: Total capital cost for EMP shall be ₹ 47 Lakhs and O & M for EMP shall be ₹ 3.25 lakhs.

3. The proposal has been considered by SEIAA in its 31st meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :
 - (i) The project proponent clarified that the production unit is non toxic secondary metallurgical processing industry. MPCB should ensure this while granting consent to establishment & operate. MPCB also ensure that raw material which will be used in this unit, particularly metal scrap, should be non hazardous & nontoxic. Project proponent should submit the copy of Consent to establishment & operate obtained accordingly to this department.
 - (ii) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this. This environmental clearance issued with



respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.

- (iii) No land development / construction work preliminary or otherwise relating to the project shall be taken up without obtaining due clearance from respective authorities.
- (iv) No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
- (v) For controlling fugitive natural dust, regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the plant shall be ensured.
- (vi) Regular monitoring of the air quality, including SPM & SO₂ levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.
- (vii) Necessary arrangement shall be made to adequate safety and ventilation arrangement in furnace area.
- (viii) Proper House keeping programmes shall be implemented.
- (ix) In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
- (x) A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set.(If applicable)
- (xi) A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
- (xii) Arrangement shall be made that effluent and storm water do not get mixed.
- (xiii) Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
- (xiv) Leq of Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
- (xv) The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
- (xvi) Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xvii) Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
- (xviii) Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
- (xix) The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
- (xx) The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
- (xxi) The company shall undertake following Waste Minimization Measures :
 - Metering of quantities of active ingredients to minimize waste.
 - Reuse of by- products from the process as raw materials or as raw material substitutes in other process.



- Maximizing Recoveries.
 - Use of automated material transfer system to minimize spillage.
 - Use of "Closed Feed" system into batch reactors.
- (xxii) Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
- (xxiii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xxiv) Transportation of ash will be through closed containers and all measures should be taken to prevent spilling of the ash.
- (xxv) Separate silos will be provided for collecting and storing bottom ash and fly ash.
- (xxvi) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
- (xxvii) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://envis.maharashtra.gov.in>
- (xxviii) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (xxix) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xxx) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xxxi) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (xxxii) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- (xxxiii) The environmental clearance is being issued without prejudice to the court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him.



4. The Environment department reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
5. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years to start of production operations.
6. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
7. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
8. Any appeal against this environmental clearance shall lie with the National Environmental Appellate Authority, if preferred, within 30 days as prescribed under Section 11 of the National Environmental Appellate Act, 1997.


(Valsa R Nair Singh)
Secretary, Environment
department & MS, SEIAA

Copy to:

1. Shri. Ashok Basak, IAS (Retd.), Chairman, SEIAA, 502, Charleville, 'A' Road, Churchgate, Mumbai- 400 020, Maharashtra.
2. Shri. P.M.A Hakeem, IAS (Retd.), Chairman, SEAC, 'Jugnu' Kottaram Road, Calicut- 673 006 Kerala.
3. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
4. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
5. Regional Office, MPCB, Kolhapur.
6. Collector, Kolhapur.

**Six monthly (Period April 2022- September 2022) Compliance report for
Expansion of the steel plant by M/s. Shri Karvir Nivasini Mahalaxmi
Ispat Pvt.Ltd.**

Brief Summary of the Project

| | |
|-------------------------------|--|
| Name of Project : | M/s. Shri Karvir Nivasini Mahalaxmi Ispat Pvt.Ltd. |
| Type of Project: | Expansion of the Steel Plant |
| Clearance Letter No.& date | SEAC-2010/CR-463/TC-2 dated 07.02.2011 |
| Location:District State/UT | Karveer Dist.: Kolhapur State: Maharashtra. |
| Address for Correspondence | A-6, MIDC,Gokul Shirgoan Tal. , Dist.: Kolhapur, Maharashtra 416234 |

M/s. Shri Karvir Nivasini Mahalaxmi Ispat Pvt.Ltd, Shri. Karvir Nivasini Mahalaxmi Ispat Pvt. Ltd. is a factory unit situated in the Gokul Shirgaon MIDC of Kolhapur. Being the first unit in Southern Maharashtra to manufacture TMT Steel bars, the brand MHLAXMI or a.k.a. Mahalaxmi TMT Bars is known for its quality assurance in the construction industry.

Compliance of Specific and General Conditions mentioned in Environmental Clearance (EC) letter SEAC-2010/CR-463/TC-2 dated 07.02.2011 for period **April 2022-September 2022** is presented as follows.

| No. | Environmental Clearance Conditions | Compliance towards the Conditions Stipulated |
|-----|--|--|
| | CONDITIONS | |
| 1 | Condition No. I The project proponent clarified that the production unit is nontoxic secondary metallurgical processing industry. MPCB should ensure this while granting consent to establish and operate. MPCB also ensure that raw material which will be used in this unit, particularly should submit the copy of consent to establishment & operate obtained accordingly to this department | Acknowledge. Industry has only used the mention raw material in consent also regularly submitted Environment Statement and hazardous waste returns. Latest submission of Form IV & Form V is attached at Annexure I |
| 2 | Condition No. II This environmental clearance is issued subject to land use verification. Local authority/ planning authority should ensure this. This environmental clearance issued with respect to the environmental consideration and it does not mean that state level impact assessment authority (SEIAA) approved the proposed land use. | We have the Necessary permission from the local bodies |

| No. | Environmental Clearance Conditions | Compliance towards the Conditions Stipulated |
|-----|--|---|
| 3 | Condition No. III No land development/ construction work preliminary or otherwise relating to the project shall be taken up without obtaining due clearance from respective authorities. | The condition shall be strictly followed Our Project activities completed within the proposed plot, new proposal will be made in case of expansion. |
| 4 | Condition No. IV No additional land shall be used / acquired for any activity of the project without obtaining proper permission | The condition shall be strictly followed. No further expansion or modifications shall be done without prior approval by government of Maharashtra |
| 5 | Condition No. V For controlling fugitive natural dust, regular sprinkling of water & wing shields at appropriate distances in vulnerable areas of the plant shall be ensured. | All internal roads are fully paved and maintained properly to control & minimize fugitive dust emissions from the respective places. Working of pollution control equipment is monitored, proper handling; storage and disposal of dust collected, existing green belt, water sprinkling in the premises is also done to prevent dust pollution. Photographs of paved road, yards are enclose at Annexure II |
| 6 | Condition No. VI Regular monitoring of the air quality, including SPM & SO ₂ levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) and submit report accordingly to the MPCB. | Compliance strictly followed .Monitoring of ambient air quality is done. The monitoring reports of same are presented at Annexure-III |
| 7 | Condition No. VII Necessary arrangement shall be made to adequate safety and ventilation arrangement in furnace area. | Compliance strictly being followed by industry. Sufficient exhaust fans are provided for ventilation purpose in furnace area |
| 8 | Condition No. VIII Proper housekeeping programs shall be implemented. | Housekeeping programs are implemented on regular basis and industry having trained staff for housekeeping |
| 9 | Condition No. IX In the event of the failure of any pollution control system adopted by | |

| No. | Environmental Clearance Conditions | Compliance towards the Conditions Stipulated |
|-----|---|---|
| | the unit. The unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved. | Monitoring is carried out monthly through MoEFCC & NABL approved laboratory for following environmental aspects. |
| 10 | Condition No. X A stack of adequate height based on DG Set capacity shall be provided for control and dispersion of pollutant from DG set. (if applicable) | Not Applicable |
| 11 | Condition No. XI A detailed scheme for rainwater Harvesting shall be prepared and implemented to recharge ground water. | Rain water harvesting is implemented on site. The rain water from Rooftops, Paved surface, Unpaved surface is collected in tank and the harvested rain water is used for gardening. Photographs of Rain water harvesting is enclosed at Annexure - IV |
| 12 | Condition No. XII Arrangement shall be made that effluent and storm water does not get mixed. | Storm water collection and conveyance arrangement through closed RCC pipeline has been provided in the premises. The storm water is discharged at lowest point in the premises of industry and through percolation and infiltration it enriches the ground water table. Therefore mixing of water don't take place on site. Requisite arrangements are provided by the Industry as per designed. Photographs of drain system is enclosed at Annexure - V |
| 13 | Condition No. XIII Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board. | Not Applicable |
| 14 | Condition No. XIV Leq of noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like ear plug etc shall be provided. | Industry has complied the condition .The ear plugs, muffs and necessary equipment have been provided to the workers |
| 15 | Condition No. XV The overall noise level in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, Silencers, | Compliance strictly being followed. No major noise generating source exists in the Unit. Also, workers are provided with PPE. Overall noise levels in and around the plant area are maintained within the standards prescribed |

| No. | Environmental Clearance Conditions | Compliance towards the Conditions Stipulated |
|-----|---|---|
| | enclosures, etc. On all sources of Noise generation. The ambient noise | under Environment (Protection) Act, 1986, 1989 Rules. Noise Monitoring Reports is enclosed at Annexure- VI |
| 16 | Condition No. XVI Green belt shall be developed and maintain around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plants species and in consultation with the local DFO/ Agriculture Dept. | Total 600 Nos. of trees have been planted in the factory premises. Out of the total plot of 19970 Sq. M , and 1300 M ² Lawn and about 200 Nos of trees will be planted in area comes under Greenbelt. This comes to about 33% of total plot area. |
| 17 | Condition No. XVII Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident, leak detection devices shall also be installed at strategic places for early detection and warning. | Firefighting arrangements have been provided on site as per Factories Act. The same comprises of fire extinguishers like CO and DCP cylinders, fire hydrant box, fire hydrant hose nozzles, monitor, fire buckets, safety showers, Foam, water etc. Regular firefighting mock drills are conducted to train workers for fire hazards. Detailed information regarding fire Firefighting report, Safety audit and photographs enclosed at Annexure-VII |
| 18 | Condition No. XVIII Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories act | Regular health checkup of all employees is being carried out once in the year. Records of health check is also maintained on site. Workers entering inside the plant area are provided Personal Protective Equipment's (PPEs) like ear plug, ear muffs etc. A sample copy of latest health check-up report is enclosed at Annexure-VIII |
| 19 | Condition No. XIX The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling | The complete firefighting system is provided at furnace and office premises. Fire extinguishers are installed. The plant operation involves heat/smoke emission so the smoke detection system is not installed |
| 20 | Condition No. XX The project authorities must strictly comply with the rules and regulations with regards to Handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and handling) Rules, 2003, (amended). Authorization from MPCB shall be obtained for collection/treatment /storage/disposal of hazardous | No any hazardous chemicals as per MSIHC rules are used during manufacturing operations. Generated Slag has been sent to the brick manufacturer. |

| No. | Environmental Clearance Conditions | Compliance towards the Conditions Stipulated | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|-----|-------------|--------------------------|---|-------------------|---|---|---------------------|---|---|------------------------|---|---|---------------|---|---|----------------|---|---|----------------|---|---|---------------|---|--------------|--|----------|
| 21 | <p>Condition No. XXI</p> <p>The company shall undertake following Waste Minimization Measures</p> <ol style="list-style-type: none"> 1. Metering of quantities of active Ingredients to minimize waste. Reuse of by –products from the process as raw materials or as raw material substitutes in other process. Maximizing recoveries. 2. Use of automated material transfer system to minimize spillage. 3. Use of “Closed Feed” system in to batch reactors | <p>Project dose not produce any by-product, slag generated during the process sent to brick manufacture.</p> <p>Generated steel scrap during the production has been recycled back to process.</p> <p>Raw material has been transport through magnet crane and same has been charge into furnace .closed feed system has been provided</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22 | <p>Condition No. XXII</p> <p>Regular mock drills for the on-site emergency management plan shall be carried out implementation of changes/ improvement required, if any, in the on-site management</p> | <p>Regular firefighting mock drills are conducted to train workers for fire hazards. Details of Mock drill and firefighting system is enclosed at Annexure - IX</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 23 | <p>Condition No. XXIII</p> <p>A separate management environment cell with qualified staff shall be set up for implementation of the stipulated Environmental safeguards.</p> | <p>A separate Environmental Management cell of 7 well - qualified personnel has been established. It includes following members</p> <table border="1"> <thead> <tr> <th>No.</th><th>Designation</th><th>No. of Working Person(s)</th></tr> </thead> <tbody> <tr> <td>1</td><td>Managing Director</td><td>1</td></tr> <tr> <td>2</td><td>Environment Officer</td><td>1</td></tr> <tr> <td>3</td><td>Environment Consultant</td><td>1</td></tr> <tr> <td>4</td><td>Chief Chemist</td><td>1</td></tr> <tr> <td>5</td><td>Deputy Chemist</td><td>1</td></tr> <tr> <td>6</td><td>Chief Engineer</td><td>1</td></tr> <tr> <td>7</td><td>Labor Officer</td><td>1</td></tr> <tr> <td colspan="2">Total</td><td>7</td></tr> </tbody> </table> | No. | Designation | No. of Working Person(s) | 1 | Managing Director | 1 | 2 | Environment Officer | 1 | 3 | Environment Consultant | 1 | 4 | Chief Chemist | 1 | 5 | Deputy Chemist | 1 | 6 | Chief Engineer | 1 | 7 | Labor Officer | 1 | Total | | 7 |
| No. | Designation | No. of Working Person(s) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | Managing Director | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Environment Officer | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Environment Consultant | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Chief Chemist | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | Deputy Chemist | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | Chief Engineer | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | Labor Officer | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 24 | <p>Condition No. XXIV</p> <p>Transportation of ash will be through closed Containers and all measures should be taken to prevent spilling of the ash.</p> | <p>Industry is strictly following all the stipulations made by the Maharashtra Pollution Control Board (MPCB) and State Government Transportation Vehicle has been covered to control the spillage of slag and ash.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25 | Condition No. XXV | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| No. | Environmental Clearance Conditions | Compliance towards the Conditions Stipulated |
|-----|---|--|
| | Separate silos will be provided for collecting and storing bottom ash and fly ash. | Closed system provided for the storage of slag generated during the process Ash will be stored in silos & boiler ash is given to farmers as Manure / Brick Manufacturing |
| 26 | Condition No. XXVI Separate funds shall be allocated For implementation of environmental protection measures/ EMP along with item Wise break up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year –wise expenditure should reported to the MPCB & this department. | Funds made towards EMP will not be diverted for other purposes |
| 27 | Condition No. XXVII The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board, and may also be seen at Website at http://envis.maharashtra.gov.in | Industry has published newspaper advertisement in two local newspapers on 10.02.2011 i.e. Marathi newspaper and English newspaper which are widely circulated in the area. Advertisement copies are enclosed at Annexure -X |
| 28 | Condition No. XXVIII Project management should submit half yearly Compliance reports in respect of the stipulated prior environmental clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1 dec of each Calendar year. | Industry regularly submits Six monthly compliance report. Industry has submitted latest six monthly compliance report for period October 2021 to march 2022 . A copy of Environmental Clearance and six monthly compliance status report shall be posted on the MPCB & MoEFCC Nagpur Acknowledgement copy of the same is enclosed at Annexure - XI |
| 29 | Condition No. XXIX A copy of clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from Whom suggestion/representations, if any, were received while processing the | Industry has submitted a Copy of EC letter to District Authority |

| No. | Environmental Clearance Conditions | Compliance towards the Conditions Stipulated |
|-----|---|---|
| | proposal. The clearance letter shall also be put on the website of the company by the | |
| 30 | <p>Condition No. XXX</p> <p>The proponent shall upload the status of compliance of the stipulated EC conditions, including results monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal office of CPCB and the SPCB. The criteria pollutant levels namely parameters, SPM, RSPM, SO₂, NO_x (ambient level as well as stack emissions) or critical sectorial parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.</p> | <p>Industry regularly submits six monthly compliance report to the stipulated Environmental Clearance conditions including results of monitoring data to Zonal Office of CPCB & SPCB regulatory Authority and copies of same are also displayed on company website. The following is the link company's website https://mhlaxmi.com/TMT_Web/administration Acknowledgment of previous Six Monthly Compliance report for period October 2021 to March 2022. is enclosed at Annexure- XII</p> |
| 31 | <p>Condition No. XXXI</p> <p>The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC Conditions including results of monitoring data (both in hard copies as well as be e-mail) to the respective Regional Office of MoEF, the respective Zonal office of CPCB and SPCB.</p> | <p>Industry regularly submits Six monthly compliance report. Industry submitted six monthly compliance report for period October 2021 to March 2022. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company. Acknowledgement copy of the same is enclosed at Annexure – XI. And Web site Screen Shots are enclosed at Annexure - XII.</p> |
| 32 | <p>Condition No. XXXII</p> <p>The environment statement for each financial year ending 31st March in Form- V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules,</p> | <p>The environmental statement for each financial year ending 31st March in Form-V will be submitted to State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986, and amended subsequently. The company will also put the status of compliance of environmental clearance conditions on its</p> |

| No. | Environmental Clearance Conditions | Compliance towards the Conditions Stipulated |
|-----|---|---|
| | 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail. | website and forward it to the Regional Offices of MoEF. |
| 33 | Condition No. XXXIII The environmental clearance is being issued without prejudice to the court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to project proponent in the case filed against him. | Noted and Agreed |

Annexure - I

Form IV & Form V



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2022

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000049297

Submitted Date

29-09-2022

PART A

Company Information

Company Name

SHRI KARVIR NIVASSINI MAHALAXMI ISPAT
PVT. LTD.,

Application UAN number

--

Address

PLOT NO. A-6, A-7/2, MIDC, GOKUL SHIRGAON,
DIST-KOLHAPUR

Plot no

PLOT NO. A-6, A-7/2, MIDC

Taluka

SHIRGAON

Village

SHIRGAON

Capital Investment (In lakhs)

1840

Scale

LSI

City

KOLHAPUR

Pincode

416234

Person Name

JITENDRA GANDHI

Designation

DIRECTOR

Telephone Number

9823071945

Fax Number

Email

mhlaxmitmt@gmail.com

Region

SRO-Kolhapur

Industry Category

Orange

Industry Type

O63 Steel and steel products using various
furnaces like blast furnace /open hearth
furnace/induction furnace/arc furnace/submerged
arc furnace / basic oxygen furnace /hot rolling
reheated furnace

Last Environmental statement submitted online

yes

Consent Number

Consent No: BO/JD(APC)TB-3/UAN
No. 71667/R/CC-814

Consent Issue Date

15/02/2020

Consent Valid Upto

30/06/2023

Establishment Year

2000

Date of last environment statement submitted

Sep 28 2021 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

MS CASTING (INGOTS)

Consent Quantity

30000.00

Actual Quantity

00

UOM

MT/A

MS ROLLED BARS

48000.00

18291.00

MT/A

By-product Information

By Product Name

Consent Quantity

Actual Quantity

UOM

Part-B (Water & Raw Material Consumption)

| | | |
|---------------------------------------|----------------------------|---------------------------|
| <u>1) Water Consumption in m3/day</u> | | |
| Water Consumption for Process | Consent Quantity in m3/day | Actual Quantity in m3/day |
| | 30.00 | 29.00 |
| Cooling | 50.00 | 30.00 |
| Domestic | 22.50 | 5.00 |
| All others | 16.00 | 12.00 |
| Total | 118.50 | 76.00 |

| | | | |
|--|------------------|-----------------|-----|
| <u>2) Effluent Generation in CMD / MLD</u> | | | |
| Particulars | Consent Quantity | Actual Quantity | UOM |
| Trade Effluent from factory | 00.00 | 00 | CMD |
| Sewage Effluent from Factory | 12.00 | 00 | CMD |

| | | | |
|---|------------------------------------|-----------------------------------|-----|
| <u>2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)</u> | | | |
| Name of Products (Production) | During the Previous financial Year | During the current Financial year | UOM |
| M S CASTING (INGOTS) | 017 | 00 | CMD |
| M S ROLLED BARS | 0.19 | 1.00 | CMD |

| | | | |
|--|------------------------------------|-----------------------------------|------|
| <u>3) Raw Material Consumption (Consumption of raw material per unit of product)</u> | | | |
| Name of Raw Materials | During the Previous financial Year | During the current Financial year | UOM |
| MS SCRAP | 1.03 | 00 | MT/A |
| MS INGOTS | 2.04 | 1.04 | MT/A |

| | | | |
|----------------------------|------------------|-----------------|------|
| <u>4) Fuel Consumption</u> | | | |
| Fuel Name | Consent quantity | Actual Quantity | UOM |
| COAL | 7200.00 | 2018.00 | MT/A |

Part-C

| | | | | | |
|--|---|--|---|----------|--------|
| <u>Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)</u> | | | | | |
| <u>[A] Water</u> | | | | | |
| Pollutants Detail | Quantity of Pollutants discharged (kL/day) Quantity | Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour Concentration | Percentage of variation from prescribed standards with reasons %variation | Standard | Reason |
| NA | 00 | 00 | 00 | 00 | 00 |

| | | | | | |
|------------------------|---|--|---|----------|--------|
| <u>[B] Air (Stack)</u> | | | | | |
| Pollutants Detail | Quantity of Pollutants discharged (kL/day) Quantity | Concentration of Pollutants discharged(Mg/NM3) Concentration | Percentage of variation from prescribed standards with reasons %variation | Standard | Reason |

| | | | | | |
|----------------------------------|-------|-------|-------|-----|---|
| Rolling Mill Furnace Stack-(SPM) | 08.61 | 70.33 | 46.88 | 150 | - |
| Rolling Mill Furnace Stack-(SO2) | 06.83 | 55.74 | 23.22 | 240 | - |
| Rolling Mill Furnace Stack-(NOx) | 00.36 | 03.00 | - | - | - |
| Induction Furnace Stack-(SPM) | 04.05 | 65.33 | 43.55 | 150 | - |
| Induction Furnace Stack-(SO2) | 02.66 | 42.91 | 17.87 | 240 | - |
| Induction Furnace Stack- (NOx) | 00.12 | 02.00 | - | - | - |

Part-D

HAZARDOUS WASTES

1) From Process

| Hazardous Waste Type | Total During Previous Financial year | Total During Current Financial year | UOM |
|----------------------|--------------------------------------|-------------------------------------|------|
| 0 | 00 | 00 | MT/A |

2) From Pollution Control Facilities

| Hazardous Waste Type | Total During Previous Financial year | Total During Current Financial year | UOM |
|----------------------|--------------------------------------|-------------------------------------|------|
| 0 | 00 | 00 | MT/A |

Part-E

SOLID WASTES

1) From Process

| Non Hazardous Waste Type | Total During Previous Financial year | Total During Current Financial year | UOM |
|--------------------------|--------------------------------------|-------------------------------------|------|
| IRON OXIDE | 85.820 | 00 | MT/A |
| Coal Ash | 00 | 10.00 | MT/A |
| WASTE MILL SCALE | 546.420 | 120.0 | MT/A |

2) From Pollution Control Facilities

| Non Hazardous Waste Type | Total During Previous Financial year | Total During Current Financial year | UOM |
|--------------------------|--------------------------------------|-------------------------------------|------|
| NA | 00 | 00 | MT/A |

3) Quantity Recycled or Re-utilized within the unit

| Waste Type | Total During Previous Financial year | Total During Current Financial year | UOM |
|------------|--------------------------------------|-------------------------------------|------|
| 0 | 00 | 00 | MT/A |

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

| Type of Hazardous Waste Generated | Qty of Hazardous Waste | UOM | Concentration of Hazardous Waste |
|-----------------------------------|------------------------|------|----------------------------------|
| 0 | 00 | MT/A | NA |

2) Solid Waste

| Type of Solid Waste Generated | Qty of Solid Waste | UOM | Concentration of Solid Waste |
|-------------------------------|--------------------|------|------------------------------|
| IRON OXIDE | 00 | MT/A | NA |

| | | | |
|------------------|-------|------|----|
| COAL ASH | 10.00 | MT/A | NA |
| WASTE MILL SCALE | 120.0 | MT/A | NA |

Part-G

| <u>Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.</u> | | | | | | |
|--|---|--|--------------------------------|--------------------------------------|-----------------------------|-----------------------------------|
| Description | Reduction in Water Consumption (M3/day) | Reduction in Fuel & Solvent Consumption (KL/day) | Reduction in Raw Material (Kg) | Reduction in Power Consumption (KWH) | Capital Investment(in Lacs) | Reduction in Maintenance(in Lacs) |
| NA | 00 | 00 | 00 | 00 | 00 | 00 |

Part-H

| <u>Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.</u> | | |
|--|-----------------------------------|----------------------------|
| <u>[A] Investment made during the period of Environmental Statement</u> | | |
| Detail of measures for Environmental Protection | Environmental Protection Measures | Capital Investment (Lacks) |
| -- | -- | 0 |

| <u>[B] Investment Proposed for next Year</u> | | |
|---|-----------------------------------|----------------------------|
| Detail of measures for Environmental Protection | Environmental Protection Measures | Capital Investment (Lacks) |
| -- | -- | 0 |

Part-I

Any other particulars for improving the quality of the environment.

Particulars

INDUSTRY HAS BEEN INSTALLED ADQUATE POLLUTION CONTROL SYSTEM AND TAKES TO CARE FOR THE DEVELOPMENT OF GREEN BELT AREA

Name & Designation

JITENDRA GANDHI - DIRECTOR

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000049297

Submitted On:

29-09-2022



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Form 4

See rules 6(5),13(8),16(6) and 20(2) of Hazardous and other wastes 2016

FORM FOR FILING ANNUAL RETURNS

[To be submitted to state pollution control board/pollution control committee by 30th June of every year for the preceeding period April to march]

Unique Application Number:

MPCB-HW_ANNUAL_RETURN-0000030301

Submitted On:

29-06-2022

Submitted for Year:

April 2021 to March 2022

1. Name of the generator/operator of facility

M/S SHRI KARVIR NIVASSINI MAHALAXMI ISPAT PVT. LTD.

Address of the unit/facility

PLOT NO. A-6, A-7/2 MIDC, GOKUL SHIRGAON, TAL-KARVEER, DIST-KOLHAPUR

1b. Authorization Number

CONSENT-BO/JD(APC)TB-3/UAN NO. 71667/R/CC-814

Date of issue

Feb 15, 2020

Date of validity of consent

Jun 30, 2023

2. Name of the authorised person

JITENDRA PUKHRAJ GANDHI

Full address of authorised person

PLOT NO. A-6, A-7/2 MIDC, GOKUL SHIRGAON, TAL-KARVEER, DIST-KOLHAPUR

Telephone

9823071945

Fax

00

Email

mhlaxmitmt@gmail.com

3. Production during the year (product wise), wherever applicable

| Product Type * | Product Name * | Consented Quantity | Actual Quantity | UOM |
|---|---------------------|--------------------|-----------------|------|
| Steel and Steel Products including coke plants. | MS CASTING (INGOTS) | 30000.0000 | 921 | MT/A |
| Steel and Steel Products including coke plants. | MS ROLLED BARS | 48000.0000 | 19513 | MT/A |

PART A: To be filled by hazardous waste generators

1. Total Quantity of waste generated category wise

| Type of hazardous waste | Waste Name | Consented Quantity | Quantity | UOM |
|-------------------------|------------|--------------------|----------|-----|
| | NA | 0.000 | 00 | MTA |

2. Quantity dispatched category wise.

| Type of Waste | Quantity of waste | UOM | Dispatched to | Facility Name |
|---------------|-------------------|-----|---------------|---------------|
| | 00 | MTA | 0 | NA |

3. Quantity Utilised in-house, If any

| Type of Waste | Name of Waste | Quantity of Waste | UOM |
|---------------|---------------|-------------------|-----|
| | NA | 00 | MTA |

4. Quantity in storage at the end of the year

| Type of Waste | Name of Waste | Quantity of Waste | UOM |
|---------------|---------------|-------------------|-----|
| | NA | 00 | MTA |

PART B: To be filled bt Treatment,storage, and disposal facility operators

| | | |
|---|---------|-------------|
| 1.Total Quantity received | UOM | State Name |
| NA | KL/Anum | Maharashtra |
| 2. Quantity in stock at the beginning of the year | UOM | |
| NA | KL/Anum | |
| 3. Quantity treated | UOM | |
| NA | KL/Anum | |
| 4. Quantity disposed in landfills as such and after treatment | | |
| Direct landfilling | UOM | |
| NA | KL/Anum | |
| Landfill after treatment | UOM | |
| NA | KL/Anum | |
| 5. Quantity incinerated (if applicable) | UOM | |
| NA | MTA | |
| 6. Quantiry processed other than specified above | UOM | |
| NA | KL/Anum | |
| 7. Quantity in storage at the end of the year. | UOM | |
| NA | KL/Anum | |

PART C: To be filled by recyclers or co-processors or other users

| | | | | | |
|--|---------------|-------------|--|------------------------------------|---------|
| 1. Quantity of waste received during the year | | | | | |
| Waste Name/Category | Country Name | State Name | Quantity of waste received from domestic sources | Quantity of waste imported(If any) | Units |
| NA | India | Maharashtra | NA | NA | KL/Anum |
| 2. Quantity in stock at the beginning of the year | | | | | |
| Waste Name/Category | | | Quantity | UOM | |
| NA | | | NA | KL/Anum | |
| 3. Quantity of waste recycled or co-procesed or used | | | | | |
| Name of Waste | Type of Waste | | Quantity | UOM | |
| NA | NA | | NA | KL/Anum | |
| 4. Quantity of products dispatched (wherever applicable) | | | | | |
| Name of product | | | Quantity | UOM | |
| NA | | | NA | KL/Anum | |
| 5. Total quantity of waste generated | | | | | |
| Waste name/category | | | quantity | UOM | |
| NA | | | NA | KL/Anum | |
| 6. Total quantity of waste disposed | | | | | |
| Waste name/category | | | quantity | UOM | |
| NA | | | NA | KL/Anum | |
| 7. Total quantity of waste re-exported (If Applicable) | | | | | |
| Waste name/category | | | quantity | UOM | |
| NA | | | NA | KL/Anum | |
| 8. Quantity in storage at the end of the year | | | | | |
| Waste name/category | | | quantity | UOM | |
| NA | | | NA | KL/Anum | |

Personal Details

| | | |
|-------|------|-------------|
| Place | Date | Designation |
|-------|------|-------------|

Annexure - II

Photographs of Internal Roads

Photographs of Internal Roads



Annexure - III
AAQM
Monitoring Report

DATE: JULY 04, 2022

AMBIENT AIR QUALITY MONITORING RESULTS




| | |
|------------------|---|
| Report No.: | GESEC/PRO/2022-23/06/809 |
| Client: | M/s. Shri Karveer Nivassini Mahalaxmi ISPAT Pvt. Ltd. |
| Site: | Plot No. A-6, Gokul Shirgaon MIDC, Kolhapur. |
| Plant Condition: | In Operation. |
| Sampling Date: | 29/06/2022 |

RESULTS

| SR. NO. | TEST DESCRIPTION | READINGS | NAAQS |
|---------|--|----------------|------------|
| 01 | Test Location | Near Main Gate | |
| 02 | Time of Sampling | 08.45 A.M. | |
| 03 | Ambient Temperature | 23°C | |
| 04 | Dry Bulb Temperature | 23°C | |
| 05 | Wet Bulb Temperature | 21°C | |
| 06 | Relative Humidity | 83.7 % | |
| 07 | Sampling Duration | 60 Min. | |
| 08 | Particulate Matter (PM ₁₀) | 58.33 µg/cum | 100 µg/cum |
| 09 | Sulphur Dioxide (SO ₂) | 18.74 µg/cum | 80 µg/cum |
| 10 | Oxides of Nitrogen (NO _x) | 21.68 µg/cum | 80 µg/cum |

Note:

- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.

| | | |
|---|---|--|
| ANALYZED BY-  |  | AUTHORIZED SIGNATORY-  |
|---|---|--|

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022

DATE: JULY 04, 2022

AMBIENT AIR QUALITY MONITORING RESULTS




| | |
|------------------|---|
| Report No.: | GESEC/PRO/2022-23/06/810 |
| Client: | M/s. Shri Karveer Nivassini Mahalaxmi ISPAT Pvt. Ltd. |
| Site: | Plot No. A-6, Gokul Shirgaon MIDC, Kolhapur. |
| Plant Condition: | In Operation. |
| Sampling Date: | 29/06/2022 |

RESULTS

| SR. NO. | TEST DESCRIPTION | READINGS | NAAQS |
|---------|---------------------------------------|----------------|------------|
| 01 | Test Location | Behind Factory | |
| 02 | Time of Sampling | 08.55 A.M. | |
| 03 | Ambient Temperature | 23°C | |
| 04 | Dry Bulb Temperature | 23°C | |
| 05 | Wet Bulb Temperature | 21°C | |
| 06 | Relative Humidity | 83.7 % | |
| 07 | Sampling Duration | 60 Min. | |
| 08 | Particulate Matter(PM ₁₀) | 56.66 µg/cum | 100 µg/cum |
| 09 | Sulphur Dioxide (SO ₂) | 15.91 µg/cum | 80 µg/cum |
| 10 | Oxides of Nitrogen (NO _x) | 18.20 µg/cum | 80 µg/cum |

Note:


- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B - 29016 / 20 / 90 / PCI - I, New Delhi, the 18th November 2009.

| | | |
|---|---|--|
| ANALYZED BY-  |  | AUTHORIZED SIGNATORY-  |
|---|---|--|

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company



| TEST REPORT | | | | |
|---|--|-------------------------|-------------------|------------|
| Test Report No: - | GESEC/PRO/AAQM/2022-23/09/431 | | Report Date | 13/09/2022 |
| Sample ID: - | GESEC/PRO/AAQM/2022-23/09/431 | | | |
| Name & Address of the Customer | M/s. Shri Karveer Nivassini Mahalaxmi ISPAT Pvt. Ltd. Plot No. A-6,Gokul Shirgaon MIDC, Kolhapur. | | | |
| Ambient Air Sample Details | | | | |
| Type | Sampling Location | | Sampling done by | |
| Ambient Air | Near Main Gate | | GESEC | |
| Sampling Time | | | | |
| Start Time | Stop Time | | Total Hrs. | |
| 09.00 A.M. | 10.00 A.M. | | 60 Min. | |
| Metrological Data/Environmental Conditions | | | | |
| Ambient Temperature °C | 22 | Wet Bulb Temperature °C | 19 | |
| Dry Bulb Temperature °C | 22 | Relative Humidity % RH | 75.5 | |
| Date of Sampling | Sample Receipt Date | Analysis Start Date | Analysis End Date | |
| 07/09/2022 | 08/09/2022 | 09/09/2022 | 13/09/2022 | |
| Name Of Instrument | Combined Sampler | Date Of Calibration | 25/10/2021 | |
| Calibration Certificate No. | CC202221000006078F | Due Date of Calibration | 24/10/2022 | |
| Parameters | Method | Unit | NAAQ Standards | Result |
| Particulate Matter (PM ₁₀) | IS:5182 (PART 4):2019 | µg/cum | 100.00 | 63.33 |
| Sulphur Dioxide (SO ₂) | IS:5182 (PART 2):2017 | µg/cum | 80.00 | 20.14 |
| Oxides of Nitrogen(NO _x) | IS:5182 (PART 6):2018 | µg/cum | 80.00 | 25.69 |
| Note: | | | | |
| ➤ NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B – 29016 / 20 / 90 / PCI – I, New Delhi, the 18 th November 2009. | | | | |
| <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  <p>GREEN ENVIROSAFE PUNE Engineers & Consultant</p> </div> <div style="text-align: right;"> <p><i>Vinod Hande</i> Mr. Vinod Hande (Technical Manager) Reviewed & Authorized By</p> </div> </div> | | | | |

END OF REPORT

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 29/02/2024.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
 ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

| TEST REPORT | | | | |
|--|---|-------------------------|-------------------|------------|
| Test Report No: - | GESEC/PRO/AAQM/2022-23/09/432 | | Report Date | 13/09/2022 |
| Sample ID: - | GESEC/PRO/AAQM/2022-23/09/432 | | | |
| Name & Address of the Customer | M/s. Shri Karveer Nivassini Mahalaxmi ISPAT Pvt. Ltd. Plot No. A-6, Gokul Shirgaon MIDC, Kolhapur. | | | |
| Ambient Air Sample Details | | | | |
| Type | Sampling Location | | Sampling done by | |
| Ambient Air | Behind Factory | | GESEC | |
| Sampling Time | | | | |
| Start Time | Stop Time | | Total Hrs. | |
| 09.10 A.M. | 10.10 A.M. | | 60 Min | |
| Metrological Data/Environmental Conditions | | | | |
| Ambient Temperature °C | 22 | Wet Bulb Temperature °C | 19 | |
| Dry Bulb Temperature °C | 22 | Relative Humidity % RH | 75.5 | |
| Date of Sampling | Sample Receipt Date | Analysis Start Date | Analysis End Date | |
| 07/09/2022 | 08/09/2022 | 09/09/2022 | 13/09/2022 | |
| Name of Instrument | High Volume Dust Sampler | Date Of Calibration | 25/10/2021 | |
| Calibration Certificate No. | LES-CCL/FF/MF/SC/1232 | Due Date of Calibration | 24/10/2022 | |
| Parameters | Method | Unit | NAAQ Standards | Result |
| Particulate Matter (PM ₁₀) | IS:5182 (PART 4):2019 | µg/cum | 100.00 | 58.33 |
| Sulphur Dioxide (SO ₂) | IS:5182 (PART 2):2017 | µg/cum | 80.00 | 17.25 |
| Oxides of Nitrogen(NO _x) | IS:5182 (PART 6):2018 | µg/cum | 80.00 | 21.41 |
| Note: ➤ NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B – 29016 / 20 / 90 / PCI – I, New Delhi, the 18 th November 2009. | | | | |
| <div style="text-align: center;">  </div> <div style="text-align: right;">  Mr. Vinod Hande (Technical Manager) Reviewed & Authorized By </div> | | | | |

END OF REPORT

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 29/02/2024.

Annexure - IV



**Photographs of
Rain water harvesting**

Photographs of Rain Water Harvesting



Annexure - V
Noise Monitoring Report

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company



| TEST REPORT | | | | |
|--|--|--|-------------|--|
| Test Report No: - | GESEC/PRO/ANLM/2022-23/09/435 | | Report Date | 13/09/2022 |
| Sample ID: - | GESEC/PRO/ANLM/2022-23/09/435 | | | |
| Name & Address of the Customer | M/s. Shri Karveer Nivassini Mahalaxmi ISPAT Pvt. Ltd. Plot No. A-6,Gokul Shirgaon MIDC, Kolhapur. | | | |
| Ambient Noise Sample Details | | | | |
| Type | Ambient Noise | | | |
| Sampling done by | GESEC | | | |
| Standard method | As Per IS: 9989:2020 | | | |
| Date of Sampling | Sample Receipt Date | Analysis Start Date | | Analysis End Date |
| 07/09/2022 | 08/09/2022 | 09/09/2022 | | 13/09/2022 |
| Name Of Instrument | Digital Sound Level Meter | Date Of Calibration | | 10/10/2021 |
| Calibration Certificate No. | ME.2021/10/21/002 | Due Date of Calibration | | 09/10/2022 |
| Test Location | Unit | Average Noise Level Readings | | CPCB Standards dB(A) |
| | | READINGS dB(A) | LIMIT dB(A) | |
| Near Main Gate | dB(A) | 64.3 | 75 | During Day time = 75 dB (A) During Night time= 70 dB(A) |
| Near Furnace | dB(A) | 66.8 | 75 | |
| Near Lathe Machine Shop | dB(A) | 70.1 | 75 | |
| Back Side Company | dB(A) | 72.0 | 75 | |
| Near Weigh Bridge | dB(A) | 70.8 | 75 | |
| Note: <ul style="list-style-type: none"> Maharashtra Pollution Control Board (MPCB) has prescribed 75 dB (A) as an upper limit of Ambient Noise Level during the Day Time & 70 dB (A) during the Night Time. | | | | |
| | |  | |  Mr. Vinod Hande (Technical Manager) Reviewed & Authorized By |

END OF REPORT

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 29/02/2024.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

| TEST REPORT | | | | |
|--|--|------------------------------|-----------------------------------|-----------------------------------|
| Test Report No: - | GESEC/PRO/WNLM/2022-23/09/436 | | Report Date | 13/09/2022 |
| Sample ID: - | GESEC/PRO/WNLM/2022-23/09/436 | | | |
| Name & Address of the Customer | M/s. Shri Karveer Nivassini Mahalaxmi ISPAT Pvt. Ltd. Plot No. A-6,Gokul Shirgaon MIDC, Kolhapur. | | | |
| Work Zone Noise Sample Details | | | | |
| Type | Work Zone Noise | | | |
| Sampling done by | GESEC | | | |
| Standard method | As Per IS: 9989:2020 | | | |
| Date of Sampling | Sample Receipt Date | Analysis Start Date | Analysis End Date | |
| 07/09/2022 | 08/09/2022 | 09/09/2022 | 13/09/2022 | |
| Name Of Instrument | Digital Sound Level Meter | Date of Calibration | 09/10/2021 | |
| Calibration Certificate No. | SSEC/ME/121 | Due Date of Calibration | 08/10/2022 | |
| Test Location | Unit | Average Noise Level Readings | | The Factories Act 1948, standards |
| | | READINGS dB(A) | LIMIT dB(A) (Refer Note Below) | |
| Lathe Machine Shop | dB(A) | 84.6 | 90 | ≤ 90 |
| CNC Machine Shop | dB(A) | 85.5 | 90 | |
| Rolling Mill | dB(A) | 83.1 | 90 | |
| Chetal | dB(A) | 85.9 | 90 | |
| Admin Office | dB(A) | 62.1 | 90 | |
| Note: ➤ The Factories' Act, 1948 has prescribed Work Zone Noise Level threshold limit for 8 hours' exposure as 90 dB (A). | | | | |
| <div style="text-align: center;">  </div> <div style="text-align: right;">  Mr. Vinod Hande (Technical Manager) Reviewed & Authorized By </div> | | | | |

END OF REPORT

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 29/02/2024.



GREEN ENVIROSAFE
Engineers & Consultant Pvt Ltd.

A-7/2/C-11, Capital City, Talwade - Chakan Road, Chakan MIDC, PH-IV,
Village Nighoje, Tal. Khed, Dist. Pune-410 501, Maharashtra.
Mob+ 9545084620, 8421365421 CIN No. : U74900PN2013PTC149666
E-mail : envirosafetyeng@gmail.com, gesec12@gmail.com

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

DATE: JULY 04, 2022

AMBIENT NOISE LEVEL MONITORING RESULTS

| | |
|------------------|---|
| Report No.: | GESEC/PRO/2022-23/06/811 |
| Client: | M/s. Shri Karveer Nivassini Mahalaxmi ISPAT Pvt. Ltd. |
| Site: | Plot No. A-6, Gokul Shirgaon MIDC, Kolhapur. |
| Plant Condition: | In Operation. |
| Sampling Date: | 29/06/2022 |
| Sampling Time: | 09:10 A.M. |

RESULTS

| SR. NO. | LOCATION | READINGS dB(A) | LIMIT dB(A) (Refer Note Below) |
|---------|-------------------------|----------------|-----------------------------------|
| 01 | Near Main Gate | 65.3 | 75 |
| 02 | Near Furnace | 67.2 | 75 |
| 03 | Near Lathe Machine Shop | 68.0 | 75 |
| 04 | Back Side Company | 66.4 | 75 |
| 05 | Near Weigh Bridge | 71.2 | 75 |

Note:

- Maharashtra Pollution Control Board (MPCB) has prescribed 75 dB (A) as an upper limit of Ambient Noise Level during the Day Time & 70 dB (A) during the Night Time.

ANALYZED BY-

H. Inde



AUTHORIZED SIGNATORY-

H. Inde

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022



GREEN ENVIROSAFE
Engineers & Consultant Pvt Ltd.

A-7/2/C-11, Capital City, Talwade - Chakan Road, Chakan MIDC, PH-IV,
Village Nighoje, Tal. Khed, Dist. Pune-410 501, Maharashtra.
Mob+ 9545084620, 8421365421 CIN No. : U74900PN2013PTC149666
E-mail : envirosafetyeng@gmail.com, gesec12@gmail.com

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

DATE: JULY 04, 2022

WORKZONE NOISE LEVEL MONITORING RESULTS

| | |
|------------------|---|
| Report No.: | GESEC/PRO/2022-23/06/812 |
| Client: | M/s. Shri Karveer Nivassini Mahalaxmi ISPAT Pvt. Ltd. |
| Site: | Plot No. A-6, Gokul Shirgaon MIDC, Kolhapur. |
| Plant Condition: | In Operation. |
| Sampling Date: | 29/06/2022 |
| Sampling Time: | 09:40 A.M. |

RESULTS

| SR. NO. | LOCATION | READINGS dB(A) | LIMIT dB(A) (Refer Note Below) |
|---------|--------------------|----------------|-----------------------------------|
| 01 | Lathe Machine Shop | 82.6 | 90 |
| 02 | CNC Machine Shop | 79.8 | 90 |
| 03 | Rolling Mill | 88.2 | 90 |
| 04 | Chetal | 87.5 | 90 |
| 05 | Admin Office | 64.1 | 90 |

Note:

- The Factories' Act, 1948 has prescribed Work Zone Noise Level threshold limit for 8 hours' exposure as 90 dB (A).

| | |
|---|--|
| ANALYZED BY-  | AUTHORIZED SIGNATORY-  |
|---|--|



Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022

Annexure - VI

Firefighting Equipment

Firefighting Equipment



Annexure - VII
Health Checkup Report

Form No 7 (Prescribed under Rule 18 (7))

HEALTH REGISTER

From: 13/07/2022 To 12/01/2023

Company Name : **SHRI KARVIR NIVASSINI MAHALAXMI ISPAT PVT. LTD.**

Certifying Surgeon
DR. ARVIND MANE
MBBS DPH AFH (Mumbai)

| Sr. No. | Emp. No. | Name | Age | Sex | Dept of employment of present work | Date of leaving or transfer to other work | Reason for leaving | Nature of job or occupation | Raw material or by product handled | Exam. Date | Result of Medical Examination | If suspended from work, state period of suspension with detailed reasons | Certified fit to resume duty on with signature of Certifying Surgeon | If Certificate of unfitness or suspension issued to worker | Signature with gate certifying surgeon |
|---------|----------|-------------------------|-----|-----|------------------------------------|---|--------------------|-----------------------------|------------------------------------|------------|-------------------------------|--|--|--|--|
| 1 | - | MR. VISHAL V MAGDUM | 42 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 2 | - | MR. PRAKASH KHIVANSARE | 48 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 3 | - | MR. SHANKAR B PATIL | 55 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 4 | - | MR. MARUTI T BHIUNGADE | 49 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 5 | - | MR. AVDHUT A JOSHI | 33 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 6 | - | MR. S S GINGAIGOLE | 48 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 7 | - | MR. SAMBHAJI B KADAM | 53 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 8 | - | MR. JAYESH V PATIL | 47 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 9 | - | MR. VINODKUMAR LALLAN | 40 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 10 | - | MR. BALASO B PATOLE | 55 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 11 | - | MR. BHARAT S PEDNEKAR | 56 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 12 | - | MR. ANANDA B PATOLE | 52 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 13 | - | MR. DHANAJI T KHADE | 45 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 14 | - | MR. AMIT M MAGDUM | 40 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 15 | - | MR. SANTOSH S GAVALI | 42 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 16 | - | MR. MAHESH B DATEKAR | 41 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 17 | - | MR. ALAMSHAH A MULANI | 53 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 18 | - | MR. SACHIN M BONGARDE | 47 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |
| 19 | - | MR. YASHWANT V CHOUGULE | 54 | M | - | NA | NA | - | - | 13/07/2022 | Fit | NA | Fit | NA | - |

कार्यालये अधिपति (प्रमाणित करने योग्य) प्रमाण

कोल्हापूर जिल्हाकरिता

ACS 15-AM/2016

Annexure - VIII
Newspaper Advertisement

च्या नावाखाली मुलांना शारीरिक शिक्षा करणे गैर :
हा

स्टरप्रकरणी पाच पोलिसांना अटक
त विविध शहरात हिंसाचार सुरुच; सैनिकांसह ३१

ची ३२५ अंकांनी उसळी
फ, पोस्टातील गुंतवणुकीवर व्याजदर वाढण्याची

गा रंग फिका

गलावर १० टक्के सुट

२०११ मधील परदेशी पर्यटकांचे आगमन व परकीय

दाचे श्रेय सहकाऱ्यांना; हरभजन

वा नोरोगे ब्यूनस आयर्स मॅरथॉन विजेता

यकल हसी शेफील्ड शील्ड लीग खेळणार नाही

मदेवच्या मानांकनात एका स्थानाची सुधारणा

-डी-हिमालय : किताब राखण्यासाठी राणा सज्ज

कायुक्त नियुक्तीवरून खंडपीठात मतभेद

भर 'रोमिंग फ्री' : सिब्ल (सुधारित)

मेरिकी अर्थतज्ज्ञांना नोबेल जाहीर

राजी अध्यक्ष अज्ञातवासातून बाहेर

गॉफ्ट इंडियाचा 'टच माऊस' बाजारात दाखल

सि-५ मधून सलमानची एक्झिट?

येणारा पाइप गॅसच्या दरात वाढ

जित सिंहचे गुलजारसोबत 'पुन्हा मिर्झा गालिब'

...

मध्ये युवकाची हत्या

तानूर परिसरात १४४ कलम लागू

रात सापडले माय-लेकराचे मृतदेह

विभागाबाबत प्रलंबित तक्रारींवर महिन्याभरात

ढाब्यात : विभागीय आयुक्त मुंदे

Public Notice

We, M/s Shri Karvir Nivasini Mahalaxmi Ispat Pvt. Ltd, at Plot No. A-6, Gokul Shirgaon MIDC, Karveer, Kolhapur. Hereby bring to the notice that Government of Maharashtra Environment Department has granted "ENVIRONMENTAL CLEARANCE" on vide latter dated 7th Feb. 2011, file bearing number: SEAC-2010/CR-463/TC-2 for our proposed expansion of MS Casting & MS Rolled Bars Plant at Plot No. A-6 Gokul Shirgaon MIDC, Karveer, Kolhapur (Maharashtra).

Environment clearance letter is available with our office. Regional Office M.P.C.B., Aurangabad & on the website of Govt. Maharashtra Environment Department

(ec.maharashtra.gov.in)

Date: 10-02-2011

Annexure - IX
Ack.copy of last
six monthly submission
report

MHLAXMI

From: MHLAXMI <tmt@mhaxmi.com>
Sent: Friday, December 31, 2021 2:10 PM
To: 'ecompliance-mh@gov.in'
Cc: 'Danish'
Subject: Submission of Six monthly compliance reports for the month of December, 2021.
Attachments: SIX MONTHLY COMPLIANCE SUBMISSION FOR-DEC-2021.pdf

**To,
The Chief Conservator of Forest.
Ministry of Environment and Forest, Climate Change Regional
Office(WCZ),Ground Floor
East Wing, New Secretariat Building,
Civil Line,Nagpur-440001**

**Sub: Submission of Six monthly compliance reports for the month of
December, 2021.**

Dear Sir

**This has reference to the above subject; we are
submitting six monthly compliance reports as per conditions stated in
Environmental Clearance.**

**We are enclosing documents herewith for further reference. Our point wise
submission is as under:**

- I. Tabular compliance**
- II. EC letter**
- III. Annexures**

We hope the submitted details are satisfactory. Kindly acknowledge the same.

Thanking you.

For Shri Karvir Nivasini Mahalaxmi Ispat Pvt. Ltd.

Authorized Signatory.